



LAS-Amp XM LAS-Amp XMi	Maximum Weights of player per tier	Height (floor to top surface)	Spacings Bottom /mid/ top (mm)	Retail Price inc VAT				
Outside dimensions - all models Amp VM 330(w) x 530(d) x 80(h) Amp XM 540(w) x 540(d) x 80(h) Amp ZM 540(w) x 610(d) x 80(h) Amp XM is supplied with the high performance LAS-CF isolation feet. Amp XMi is supplied with machined aluminium base cones and black steel spikes. This model is fully upgradeable with LAS-CF feet.				High capacity 85 Kg  				
LAS-Amp VMi	85kg	330(w) x 530(d) x 80(h)	450					
LAS-Amp VM	85kg	330(w) x 530(d) x 80(h)	1050					
LAS-Amp XMi	85kg	540(w) x 540(d) x 80(h)	500					
LAS-Amp XM	85kg	540(w) x 540(d) x 80(h)	1100					
LAS-Amp ZMi	85kg	540(w) x 610(d) x 80(h)	600					
LAS-Amp ZM	85kg	540(w) x 610(d) x 80(h)	1200					

LAS-9 Cadenz LAS-9 Cadenz Vr	Maximum Weights of player per tier	Height (floor to top surface)	Spacings Bottom / mid/ top (mm)	Retail Price inc VAT				
Outside dimensions / Audio board: Cadenz 620 (w) x 455 (d)) Cadenz Vr 600 (w) x 455 (d) Spacing options 120mm, 160mm, 220mm, 280mm Finishes: Original Cadenz - Black low sheen finish Cadenz Vr - Oak, Black Oak, Maple, American Walnut £+ / tier High grade tubular legs with low vibration design and Delrin machined inserts Spikes - Standard black steel spikes or optional Counterpoint spikes and floor protectors £+.								
2T original				475				
2T Cadenz Vr	Spacings: 120mm-160mm-220mm-280mm			595				
3T original				625				
3T Cadenz Vr	Original: flat black 'low sheen'			795				
4T original				825				
4T Cadenz Vr	Cadenz Vr: veneer options Oak, Black Oak, Maple American Walnut (see £+)			995				
5T original				1025				
5T Cadenz Vr				1195				
EXTRA 1T				300				
WALNUT Vr / TIER				20				
EXTRA SPACERS SET	4x SET (120,160,220,280mm)			200				
COUNTERPOINTS SPIKES	4x spikes - with stand purchase			75				
COUNTERPOINTS FULL SET	4x spikes & floor protectors- with stand purchase			125				

LAS-4 Integral LAS-4 Concert	Maximum Weights of player per tier	Height (floor to top surface)	Spacings Bottom /mid/ top (mm)	Retail Price inc VAT				
---	--	--	--------------------------------------	-------------------------	--	--	--	--

Outside dimensions- 650(w) x 495(d)


Audio surface- 540(w) x 440(d)
selected high grade birch ply premium oak veneered

Legs - machined and selected oak, bespoke spacings available

LAS-4 Concert includes DCP platform on the top tier.
Further DCP platforms can be added to all tiers.


LAS-4 Integral is excellent value at it's price, and offers future
upgrades with the DCP Concert platform.





Counterpoint spikes and floor protectors as standard.



Integral 3T-500	40kg/25kg/25kg	565	195-195	1350				
Concert 3T-500	40kg/25kg/25kg	610	195-195	1950				
Integral 3T-630	40kg/25kg/25kg	695	325-195	1400				
Concert 3T-630	40kg/25kg/25kg	740	325-195	2000				
Integral 4T-630	40kg/25kg/25kg	695	195-150-150	1550				
Concert 4T-630	40kg/25kg/25kg	740	195-150-150	2150				
Integral 4T-780	40kg/25kg/25kg	845	255-195-195	1650				
Concert 4T-780	40kg/25kg/25kg	890	255-195-195	2250				
Integral 5T-780	40kg/25kg/25kg	845	170-150-150-150	1850				
Concert 5T-780	40kg/25kg/25kg	890	170-150-150-150	2450				
Integral 4T	40kg/25kg/25kg	875	285-195-195	1850				
Concert 4T	40kg/25kg/25kg	920	285-195-195	2450				

LAS-4 CONTINUED								
Integral 5T-800	40kg/25kg/25kg	875	245-135-135-135	2050				
Concert 5T-800	40kg/25kg/25kg	920	245-135-135-135	2650				
Integral 5T-930	40kg/25kg/25kg	1005	285-165-165-165 285-195-105-195	2150				
Concert 5T-930	40kg/25kg/25kg	1050	285-165-165-165 285-195-105-195	2750				
LAS-4 HC heavy capacity	Upto 50kg top tier & lower tiers			250				
Black Satin finish	Integral all stands			150				
Bespoke spacing (call for enquiry)			please call	-	-	-		

LAS-4 AV series	Maximum Weights of player per tier	Height (floor to top surface)	Spacings Bottom /mid/ top (mm)	Retail Price inc VAT				
Outside dimensions- 1250(w) x 495(d) Audio board- 1140(w) x 440(d) or 540(d) for large players / amplifiers selected high grade birch ply premium oak veneers Legs - machined and selected oak, bespoke spacing available DCP platforms can be added to all tiers. Counterpoint spikes and floor protectors as standard.								
LAS-4 AW 1140-500	1140x440	195,195		2450				
LAS-4 AW 1140-550	1140x440	190,250		2550				
LAS-4 AW 1140-630	1140x440	190,250		2650				
HC centre leg kit				250				
LAS-4 HC Heavy Capacity version	Full HC design option upto 50kg components on the top tiers, ** price per for a full stand - any size- upgrade for exisiting customer's stand **			250				
Black Satin finish	AV stands			150				

Options / Accessories	Retail Price inc VAT				
LAS-CP - Cable Path - high performance cable isolation - min order QTY 8x	80				
Cable isolator for speaker cables and mains cables. High performance design with very low energy contact. High quality machined design. Soft contact base 55mm base diameter 63mm lift height 40mm cable diameter capacity Colour black					
LAS-CC - Contact Component - high performance player isolation - set of 3	450				
Player isolator for sensitive source components and pre-amp etc. Set of 3 Height 32mm Base diameter 38mm Colour - machined stainless steel					
LAS-CF - Contact Floor - high performance feet- as used on Amp XM and for Amp XM INTRO customers	650				
High performance floor isolator, as supplied with LAS-Amp XM, new improved design which allows fitment to audio stands and loudspeakers. Compact and the finest quality design, high load capacity. Thread M8 (enquire for other threads) Height 50mm Base diameter 55mm Colour - machined stainless steel					
DCP Concert Platform - isolation for all LAS-4 audio stands	600				
High performance audio surface for all LAS-4 series stands. Connects directly into the low energy nodes of the LAS_4 audio stand surfaces. Internally machined, multi layer, fully veneered. Includes feet set. 540(w) x 440(d) x total height 45mm					
COUNTERPOINTS SPIKES- AS USED ON LAS-4 CONCERT	100				
COUNTERPOINTS SOIKES & FLOOR PROTECTORS - AS USED ON LAS-4 CONCERT	150				