

LAS-9 Cadenz / Vr

Retail Price inc
VAT

Outside Dimensions:

Cadenz : outside 620 (w) x 455 (d))

Cadenz Vr : outside 600 (w) x 455 (d)

Audio surface dimensions:

Upper: as per outside dimensions

Lower: inside leg width

Cadenz -535mm, Cadenz Vr- 495mm

Leg spacings:

120mm, 160mm, 220mm, 280mm

Weights per tier :

Cadenz - 25 Kg , Cadenz Vr - 35 Kg



Cadenz



Cadenz VR

Cadenz / Cadenz Vr

2T Cadenz				595
2T Cadenz Vr	Spacings: 120mm-160mm-220mm-280mm Finishes: FSC real wood veneers Cadenz: flat black ‘low sheen’ Cadenz Vr: veneer options Oak, Black Oak, Maple American Walnut (£+)			695
3T Cadenz				745
3T Cadenz Vr				995
4T Cadenz				945
4T Cadenz Vr				1195
5T Cadenz				1145
5T Cadenz Vr				1395
EXTRA 1T				300
WALNUT Vr / TIER				12.5
EXTRA SPACERS SET	120,160,220,280mm			200
COUNTERPOINTS SPIKES	4x spikes - with stand purchase			75
COUNTERPOINTS FULL SET - SPIKES & FLOOR PROTECTORS				125

Cadenz Vr DW - Double width

Dimensions: Cadenz Vr DW : outside **1200 (w)** x 455 (d) - inside leg width

2T Cadenz Vr DW	Double width- 1200 (w) x 455(d)	1495
3T Cadenz Vr DW	Double width- 1200 (w) x 455(d)	1795
4T Cadenz Vr DW	Double width- 1200 (w) x 455(d)	2095

Cadenz Vr Record storage option - Record side rest and back stops, c/w leg spacing 320mm

Cadenz Vr	Purchased with stand	95
-----------	----------------------	----

LAS-4 Integral LAS-4 Concert	Height (floor to top surface)	Spacings Bottom /mid/ top (mm)	Retail Price inc VAT
------------------------------	----------------------------------	--------------------------------------	-------------------------

Dimensions:

Outside dimensions - 650 (w) x 495 (d)
Audio surface - 540(w) x 440(d)

Details:

Audio surfaces:
Premium birch ply with fine oak veneer
Legs: Premium oak, fully machined

DCP platforms:

High performance audio surface,
included with Concert,
optional for Integral.

Spacings: As shown, or bespoke

Weights: upto 50 Kg per level

For further information please
visit the website



Integral 3T-500		565	195-195	1650
Concert 3T-500		610	195-195	2250
Integral 3T-630		695	305-215	1700
Concert 3T-630		740	305-215	2300
Integral 4T-630		695	195-150-150	1900
Concert 4T-630		740	195-150-150	2500
Integral 4T-780		845	255-195-195	2000
Concert 4T-780		890	255-195-195	2600
Integral 5T-780		845	170-150-150-150	2200
Concert 5T-780		890	170-150-150-150	2800
Integral 4T		875	285-195-195	2200
Concert 4T		920	285-195-195	2800

Integral 5T-800		875	245-135-135-135	2400
Concert 5T-800		920	245-135-135-135	3000
Integral 5T-930		1005	285-165-165-165 285-195-105-195	2500
Concert 5T-930		1050	285-165-165-165 285-195-105-195	3100
Options				
LAS-4 HC heavy capacity	Upto 50kg top tier & lower tiers			200
Black Satin finish	Integral all stands			150
DCP Concert Platform- isolation for all LAS-4 audio stands				600

Cadenz Speaker stand (NEW)		Retail Price inc VAT
Dimensions: Height: 600mm Base Dimensions: 235 (w) x 300 (d) Top Plate Dimensions: Standard: 150 (w) x 215 (d) Small : 150 (w) x 170 (d) Details: 2 top plate size options Split columns stable design Bonded base High grade machined stainless steel spikes		
Cadenz Speaker stand - standard top plate		550
Cadenz Speaker stand - small top plate		550

Retail Price inc VAT

Dimensions:

Height: 600mm

Base Dimensions: 235 (w) x 300 (d)

Top Plate Dimensions:

Standard: 150 (w) x 215 (d)

Small : 150 (w) x 170 (d)

Details:

2 top plate size options

Split columns stable design

Bonded base

High grade machined stainless steel spikes



LAS-Amp XM LAS-Amp XM<i>i</i>	Maximum Weights of player per tier	Height (floor to top surface)	Spacings Bottom /mid/ top (mm)	Retail Price inc VAT
--	--	----------------------------------	--------------------------------------	----------------------

Outside dimensions - all models

Amp VM 330(w) x 530(d) x 80(h)

Amp XM 540(w) x 540(d) x 80(h)

Amp ZM 540(w) x 610(d) x 80(h)

NEW & IMPROVED DESIGN

PRICE REDUCTION ON XM & ZM

HIGH CAPACITY 85 Kg



Amp XM is supplied with the high performance **ARENA AM-X** isolation feet.
Amp XM*i* is supplied with machined aluminium base cones and black steel spikes.
 This model is fully upgradeable with AM-X feet.

LAS-Amp VM <i>i</i>		DISCONTINUED	
LAS-Amp VM		DISCONTINUED	
LAS-Amp XM <i>i</i>	85kg	540(w) x 540(d) x 80(h)	450
LAS-Amp XM	85kg	540(w) x 540(d) x 80(h)	950
LAS-Amp ZM <i>i</i>	85kg	540(w) x 610(d) x 80(h)	550
LAS-Amp ZM	85kg	540(w) x 610(d) x 80(h)	1050

ARENA AM-X (NEW - now sold seperately as used on AmpXM / ZM) for audio & amplifier stands	Retail Price inc VAT
ARENA AM-X - M8 thread - high end isolation - ceramic & damped - high load capacity	650

ARENA APX (NEW)	Retail Price inc VAT
------------------------	----------------------

Dimensions:

APX 50mm slim: 50mm diameter x 10mm height

APX 50mm: 50mm diameter x 15mm height

APX 60mm: 60mm diameter x 15mm height

High end isolation for audio components.
 Place directly below the existing feet of the player.
 APX provides an extremely low 'noise' energy and stable surface below the player/dac/amplifier.



ARENA APX
audio player isolation by Lateral audio

ARENA APX 50mm slim (each)	105
ARENA APX 50mm (each)	105
ARENA APX 60mm (each)	115