



Cadenz Vr

Outside dimensions:

Cadenz Vr : outside 600 (w) x 458 (d)
(23.75" x 17.75")

Audio surface dimensions:

Depth - 458mm (408mm at centre)
Top width - 600mm
Lower inside leg width - 495mm

Cable clearance rear width - 495mm

Spacer Options: 120mm (4.75"), 160mm(6.25"), 220mm (8.75"), 280mm (11")

Weights Capacity per tier :

Cadenz Vr - 30 kg

Spikes:

Black steel
Counterpoint spikes (optional)
Floor coins (optional)

Finish Options:

Oak - Black Oak - Walnut

Cadenz Vr		Retail inc VAT £
Cadenz Vr per level (2T)		575
Cadenz Vr per level (3T)		825
Cadenz Vr per level (4T)		1095
Cadenz Vr per level (5T)		1375
Options with purchase		
Walnut veneer per tier		25
Record Storage - C/W 320mm legs and record supports- Purchased with stand		150
Counterpoint spikes - Stainless CNC machined spike set & knurled nut x 4		85
Counterpoint full set - Stainless CNC machined spike and floor coin protector set		135
Future purchase 1 TIER		375
Future purchase spacer set		200



Aria

Outside dimensions:

600mm (w) x 450mm (d)
(23.75" x 17.75")

Audio surface dimensions:

Top width - 600mm (23.75")
Depth - 450mm (17.75")
Thickness - 31mm (1.25")
Lower inside leg width - 515mm (20.25")

Cable clearance rear width - 515mm

Spacer Options: 160mm (6.25"), 220mm (8.75"), 320mm (12.5"), 440mm (17.25")

Spacer Finish: Black

Weight Capacity per tier : 50 kg (110 lbs)

Spikes:

Counterpoint spikes & knurled nut set
Floor coins (optional)

Real wood finish options:

Oak - Black Oak - Walnut

Aria		Retail inc VAT £
Aria (2T)		800
Aria (3T)		1150
Aria (4T)		1500
Aria (5T)		1875
Options		
440mm spacers		100
Walnut veneer per tier		25
Counterpoint floor coin protector set		50
Isolation platform (tbc)		
Record Storage (tbc)		
Record player wall bracket (tbc)		
Future purchase 1 TIER		500
Future purchase spacer set		250



Concert / Integral

Outside dimensions:

650mm (w) x 495mm (d)
(25.5" x 19.25")

Audio surface dimensions:

Top width - 540mm (21.25")
Depth - 440mm (17.25")
Lower inside leg width - 540mm (21.25")

Weight Capacity per tier : 50 kg (110 lbs)

Spikes:

Counterpoint spikes & floor coins

Real wood finish options: Oak, Black Oak

Cable clearance rear leg inside width - 395mm

Spacings Options: Please refer to the website, or call

Concert adds a DCP platform and a minimal top tier complete with an aluminium fascia to the top level. The aluminium fascia is available in a black or silver anodised brushed finish. Further DCP platforms can be added to lower levels to Integral and Concert.

Concert / Integral		Retail inc VAT £
Integral 3 tier (single leg 500 / 630mm) (500mm-195-195, 630mm-305-215)		1800
Integral 4 tier (single leg 630mm) (630mm-195-150-150)		2200
Integral 4 tier (780mm / split leg) (780mm-255-195-195, SL-285-195-195)		2400
Integral 5 tier (780mm / split leg) (780mm-170-150-150-150, SL-245-135-135-135)		2850
Options		
Concert option (DCP Platform, aperture top tier complete with aluminium fascia)		700
DCP Platform (for Integral or Concert)		600
Black finish		200



Counterpoint reference series 1.0 - 1.1

Outside dimensions:

660mm (w) x 450mm (d)
(23.75" x 17.75")

Audio surface dimensions:

Top width - 560mm (22")
Depth - 450mm (17.75")
Lower inside leg width - 518mm (20.25")

Cable clearance rear width - 580mm

Spacer Options:

160mm (6.25") , 220mm (8.75") , 320mm (12.5") , 440mm (17.25")
Finish: Anodised Black , anodised silver (tbc)

Weight Capacity per tier : 75 kg (165 lbs)

Spikes:

Counterpoint spikes & knurled nut set,
& floor coins

Real wood finish options:

Oak - Black Oak - Walnut

Counterpoint 1.0 (availability tbc)		Retail inc VAT £
Counterpoint 1.0 - 2 tier		-
Counterpoint 1.0 - 3 tier		-
Counterpoint 1.0 - 4 tier		-
Counterpoint 1.0 - 5 tier		-
Options		
Counterpoint 1.1 decouple option, any level (with stand purchase)		-
Counterpoint 1.1 decouple option, any level (upgrade purchase)		-



Amp XM

Amp XM is supplied with the high end isolation feet.

Amp XM_i is supplied with machined aluminium base cones and black steel spikes.
This model is fully upgradeable.

Amp XM			Retail inc VAT £
LAS-Amp XM _i	85kg	540(w) x 540(d) x 80(h)	450
LAS-Amp XM	85kg	540(w) x 540(d) x 80(h)	950
LAS-Amp ZM _i	85kg	540(w) x 610(d) x 80(h)	550
LAS-Amp ZM	85kg	540(w) x 610(d) x 80(h)	1050